

IN THE CLAIMS

Please amend the claims as follows:

1. (Currently Amended) A method for ~~deriving~~optimizing the sharpening of a video sequence using an objective sharpness quality score derived from an objective sharpness metric for determining the sharpness quality level of video sequences having different
5 degrees of sharpness, said method comprising the ~~following steps~~
of:
- receiving as an input an original video sequence;
processing the original video sequence to derive a
~~sharpness-sharpened~~ video sequence;
- 10 calculating spectral energy information in said sharpened video sequence ~~for which a sharpness quality score is desired;~~
calculating spectral energy information in said original video sequence;
- calculating false edge information data in said sharpened
15 video sequence; ~~and~~
- deriving said objective sharpness metric from said spectral energy information and said false edge information, said objective sharpness metric providing ~~an~~said objective sharpness quality score representative of the quality of said sharpened video
20 sequence; and

re-processing the original video sequence using said objective sharpness quality score to derive an optimized sharpened video sequence.

2. (Currently Amended) The method ~~of~~ as claimed in claim 1, wherein the step of calculating false edge information in said sharpened video sequence further comprises calculating a total number of false edges in said sharpened video sequence.

3. (Currently Amended) The method ~~of~~ as claimed in claim 2, wherein said step of ~~calculating the total number of false edges in said sharpened video sequence~~ deriving said optimized sharpness metric comprises the sub-steps of:

5 determining whether said number of false edges exceeds a first threshold; and

computing said sharpness quality score from said spectral energy information and said total number of false edges.

4. (Currently Amended) The method ~~of~~ as claimed in claim 2, wherein the step of calculating said total number of false edges in said sharpened video sequence, further comprises the sub-steps of:

creating a first edge map in said original video sequence;

5 creating a second edge map in said sharpened video sequence; and

comparing said first and second edge maps to determine said total number of false edges in said sharpened video sequence.

5. (Currently Amended) The method ~~of~~ as claimed in claim 1, wherein the step of calculating spectral energy information in said original sequence further comprises the sub-steps of:

determining the frequency spectrum of said original video
5 sequence; and

computing a normalized ~~fourier~~ Fourier transform of said original video sequence from said frequency spectrum.

6. (Currently Amended) The method ~~of~~ as claimed in claim 1, wherein the step of calculating spectral energy information in said sharpened sequence further comprises the sub-steps of:

determining the frequency spectrum of said sharpened video
5 sequence;

dividing the frequency spectrum into at least a first and a second sub-band;

computing a first normalized ~~fourier~~ Fourier transform of said sharpened video sequence in said at least first sub-band;

10 computing a second normalized ~~fourier~~ Fourier transform of said sharpened video sequence in said at least second sub-band; and

using said first and second normalized ~~fourier~~ Fourier transforms to derive said objective sharpness metric.

7. (Currently Amended) The method ~~of~~ as claimed in claim 6,
wherein the first and second ~~fourier~~ Fourier transforms are one of
a horizontal and vertical transform.

8. (Currently Amended) A system for optimizing the sharpness
quality level of a received video sequence, comprising:

means for receiving an original video sequence; ~~and~~

~~a processor comprising:~~

5 means for applying a sharpness enhancement function to
said original video sequence to generate a sharpened video
sequence;

a processor for deriving an objective sharpness metric,
said processor comprising:

10 means for calculating spectral energy information
indicative of the sharpened video sequence;

means for calculating spectral energy information
in said original video sequence;

means for calculating false edge information data
15 in said sharpened video sequence; and

means for deriving said objective sharpness
metric from said spectral energy information and said false edge
information, said objective sharpness metric providing an objective

sharpness quality score representative of the quality of said
20 sharpened video sequence; and

means for optimizing the sharpness quality level of said
received video sequence using ~~at least spectral energy information~~
~~indicative of the sharpened video sequence~~ said objective sharpness
metric.

9. (Cancelled).

10. (Currently Amended) A computer-readable medium comprising
instructions which when executed on a processor, cause the
processor to perform a method for deriving an objective sharpness
metric for determining the sharpness quality level of video
5 sequences having different degrees of sharpness, the method
comprising the ~~following steps~~ of:

receiving as an input an original video sequence;

processing the original video sequence to derive a
sharpness video sequence;

10 calculating spectral energy information in said sharpened
video sequence for which a sharpness quality score is desired;

calculating spectral energy information in said original
video sequence;

calculating false edge information data in said sharpened
15 video sequence; and

deriving said objective sharpness metric from said spectral energy information and said false edge information, said objective sharpness metric providing an objective sharpness quality score representative of the quality of said sharpened video sequence.

11. (Currently Amended) The computer-readable medium ~~of as~~ claimed in claim 10, wherein the step of calculating false edge information in said sharpened video sequence further comprises calculating a total number of false edges in said sharpened video sequence.

12. (Currently Amended) The computer-readable medium ~~of as~~ claimed in claim 11, wherein said step of ~~calculating the total number of false edges in said sharpened video sequence~~ deriving said optimized sharpness metric comprises the sub-steps of:

determining whether said number of false edges exceeds a first threshold; and

computing said sharpness quality score from said spectral energy information and said total number of false edges.

13. (Currently Amended) The computer-readable medium ~~of as~~ claimed in claim 11, wherein the step of calculating said total

number of false edges in said sharpened video sequence, further comprises the sub-steps of:

- 5 creating a first edge map in said original video sequence;
 creating a second edge map in said sharpened video
sequence; and
 comparing said first and second edge maps to determine
said total number of false edges in said sharpened video sequence.

14. (Currently Amended) The computer-readable medium ~~of~~ as
claimed in claim 10, wherein the step of calculating spectral
energy information in said original sequence further comprises the
steps of:

- 5 determining the frequency spectrum of said original video
sequence; and
 computing a normalized ~~fourier~~ Fourier transform of said
original video sequence from said frequency spectrum.

15. (Currently Amended) The computer-readable medium ~~of~~ as
claimed in claim 10, wherein the step of calculating spectral
energy information in said sharpened sequence further comprises the
sub-steps of:

- 5 determining the frequency spectrum of said sharpened video
sequence;

dividing the frequency spectrum into at least a first and
a second sub-band;

10 computing a first normalized ~~fourier~~-Fourier transform of
said sharpened video sequence in said at least first sub-band;

computing a second normalized ~~fourier~~-Fourier transform of
said sharpened video sequence in said at least second sub-band; and

using said first and second normalized ~~fourier~~-Fourier
transforms to derive said objective sharpness metric.

16. (Currently Amended) The computer-readable medium ~~of~~-as
claimed in claim 15, wherein the first and second ~~fourier~~-Fourier
transforms are one of a horizontal and vertical transform.

**This Page is Inserted by IFW Indexing and Scanning
Operations and is not part of the Official Record**

BEST AVAILABLE IMAGES

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images include but are not limited to the items checked:

- ☐ **BLACK BORDERS**
- ☐ **IMAGE CUT OFF AT TOP, BOTTOM OR SIDES**
- ☐ **FADED TEXT OR DRAWING**
- ☐ **BLURRED OR ILLEGIBLE TEXT OR DRAWING**
- ☐ **SKEWED/SLANTED IMAGES**
- ☐ **COLOR OR BLACK AND WHITE PHOTOGRAPHS**
- ☐ **GRAY SCALE DOCUMENTS**
- ☒ **LINES OR MARKS ON ORIGINAL DOCUMENT**
- ☐ **REFERENCE(S) OR EXHIBIT(S) SUBMITTED ARE POOR QUALITY**
- ☐ **OTHER:** _____

IMAGES ARE BEST AVAILABLE COPY.

As rescanning these documents will not correct the image problems checked, please do not report these problems to the IFW Image Problem Mailbox.